

State/Prov. PUNJAB

(3)

13

Oct. d 11-11-1998

(12)

2<sup>c</sup>

SCIR (Standing Committee Inspection Report), D.R. (Departmental Inspector Report), U.C. (Under Consideration), N.R. (Not Recommended), N.C. (Not Considered), S.I.R. (Supplementary Inspection Report), E.S. (Power Supply)

S. No.	Name, Address & File No. of the Institute for reference and future correspondence	Trade/Units for which		Affiliation		REMARKS
		Bought by Institute	Standing Committee	DORAT	SCIR Dated.....	
1	2	3	4	5	6	
6.	National Inst. of Technology, C-22 Industrial Estate, Phase-II, S.A.S. Nagar, Mohali, Punjab.  No. DINT-2/19/1/91-IG (Part) (Pvt.)	1. <u>Electrician</u> One unit	One unit	U.C	SCIR-22.7.98  M.S.F. Aug. 1998 SIR to be submitted for (a) P.S. to be augmented to 40 KW. (b) Social Study Instructor to be appointed.	
7.	Baba Farid ITC, Near Mukatsar Road, Gurgaon Margahal, Distt. Ferozepur Punjab.  No. DGT-6/19/9/98-IG (Pvt.)	1. <u>C.C.P.A</u> Two unit (1+1)	Two unit (1+1)	Total One unit One - N.R.	SCIR-20.7.98  M.S.F. Aug. 1998 Only one instructor for C.C.P.A & Secretarial Practice trade.	
		2. <u>Secretarial Practice</u> Two unit (1+1)	Two unit (1+1)	Total One unit One - N.R.		
		3. <u>Dress Making</u> Two unit (1+1)	One unit	N.R	No qualified staff & W/Shop are not shown in the map for Dress Making trade.	
		4. <u>Electronics Mechanic</u> Two unit (1+1)	N.R	N.C		
		5. <u>Gasparier</u> N.R	N.R	N.C		