

STATE: Punjab



DATED: 20/09/2011

Note: - As per NCVT decision all the instructors must be trained within three years. The State Director/Commissioner/Pvt management are requested to sponsor 30% instructors every year for Training in Trainer Program (in any CTI module) of DGET field Institute.

**SCIR (Standing Committee Inspection Report); DIR (Departmental Inspection Report); Std. Comm (Standing Committee); NR (Not Recommended); NC (Not Considered); SIR (Supplementary Inspection Report); PS (Power Supply); T&E (Tools & Equipment)**

Name, Address & File No. of Institute for ref. & Future correspondence draft	Trade	Units for which affiliation sought / recommended by			Approval by Sub-Committee of NCVT	Remarks
		Instrt.	Std. Comm.	DGET		
9 Govt. ITI, Ajnala Dist. Amritsar Punjab  DGET-6/19/25/97-TC	Fashion Technology	2(1+1)	2(1+1)	2(1+1)	2(1+1)	SCIR-10/08/2011 w.e.f. Aug 2011
	Driver cum Mech.	2(1+1)	2(1+1)	2(1+1)	2(1+1)	
	Machinist	2(1+1)	NR	NC	NC	
	Hair & Skin Care	2(1+1)	NR	NC	NC	
10 Govt. ITI, Kathua Road Bamial, Dist.-Pathankot Pin-145027 Punjab  DGET-6/19/63/2011-TC (New Pvt.)	Welder(G&E)	2(1+1)	2(1+1)	2(1+1)	2(1+1)	SCIR-11/08/2011 w.e.f. Aug 2011
	Electronics Mechanic	2(1+1)	NR	NC	NC	
11 Guru Hargobind Private ITI, By Pass Satiya Wala, Zira Road, Dist. Ferozpur Punjab  DGET-6/19/28/2010-TC	Welder(G&E)	Addl. 2(1+1)	Addl. 2(1+1)	Addl. 2(1+1) Total 4(2+2)	Addl. 2(1+1) Total 4(2+2)	SCIR-19/05/2011 SIR-19/07/2011 w.e.f. Aug 2011
12 Govt. ITI, Kapurthala, Dist. Kapurthala Punjab  DGET-6/16/1/86-TC (Part File)	Turner	Addl. One Unit	-	*Rejected	*Rejected	DIR-28/04/2011 SIR-07/09/2011 *Rejected because of shortage of trainees tools kit as per NCVT norms. Also there is no date on the recommended sheet of DIR.
	Machinist	Addl. One Unit	-	*Rejected	*Rejected	
	Filter	Addl. One Unit	-	*Rejected	*Rejected	
	Carpenter	Addl. One Unit	-	*Rejected	*Rejected	